HALF YEARLY COMPLIANCE REPORT FOR PROPOSED REDSIDENTIAL PROJECT OF JOYALUKKAS LIFESTYLE DEVELOPERS AT VAZHAKALA, KOCHI

EC NO: 21/SEIAA/KL/87/2012DATED 14-11-2012

DECEMBER 2016



TABLE OF CONTENTS

Status of Compliance to the conditions made while granting Environmental Clearance by MoEF.

LIST OF ANNEXURES

Annexure I	hotographs of the permanent fencing provided around the tower line in		
	accordance with KSEB norms		
Annexure II	Order No. T6-13956/14/EIE dated 29/09/14		
Annexure III	Environmental monitoring cell details		
Annexure IV	Landscape map of the proposed project		
Annexure V	Communication with SEIAA regarding the modification in scope of the project		
	(letter No JLD/GT/EE/005/2014-15 dated 13-06-2014)		
Annexure VI	Building permit obtained from Thrikkakara municipality		
Annexure VII	No Objection Certificate from Fire and Rescue Service & No Objection		
	Certificate for height clearance.		
Annexure VIII	The Consent to Establish from KSPCB		
Annexure IX	Copies of News Paper Advertisements made on granting of EC		
Annexure X	Communication to SEIAA on News Paper Advertisements		
Annexure XI	Copies of Communication on granting of EC by SEIAA to municipality		
Annexure XII	e XII A copy of the Company Website Display		
Annexure XIII	Environmental Monitoring Results and Pictures depicting Environmental		
	Monitoring		
Annexure XIV	The Affidavit produced by the Proponent		

STATUS OF COMPLIANCE TO THE CONDITIONS MADE WHILE GRANTING ENVIRONMENTAL CLEARENCE

Introduction

It is proposed to develop a residential project at Vazhakala village, Kanayunnur Taluk, Ernakulam District ,Kerala in Re-Sy.No 42/1,Block No.9 by M/s. Joyalukkas Lifestyle Developers (Private) Limited, which is a private company having its correspondence office at Peeves Triton, Marine Drive, Kochi, Kerala-682 031. The company purchased the land for the construction in the name of Joy Alukkas in the year August, 2003 .The project site fall within Thrikakkara Municipality and the land use in conformity with the CPD of Kochi.

The project was accorded Environmental clearance by State Level Environmental Impact Assessment Authority (SEIAA), Kerala vide letter NO: 21/SEIAA/KL/871/2012 dated 14th November, 2012. The conditions lay out while granting the clearance along with the compliance to the same is followed.

SI.	Condition	Compliance			
A. Spec	ific Conditions				
1	Assurance that the Place left in the front region of the project site as shown in the drawing is a 'Purambokku' land between the road and the property of the proponent and that it shall not be encroached at any later stage.	the front region of the project site has not encroached by the proponent. In fut also there won't be any encroachment.			
2	Fencing should be done all around the tower line	A permanent fencing is provided around the tower line in accordance with KSEB norms and the photographs of the same is attached as Annexure I . The sanction for the construction near 110Kv tower line is obtained from KSEB and the same is attached in Annexure II .			
3. Gene	ral Conditions				
1	Rain water harvesting to collect and utilize the entire water falling in land area should be provided.	A roof top rain water harvesting facility is envisaged for the project .The provision for the collection of rainwater is proposed at the basement as well as at the roof top of the proposed building .The construction of the tank at the basement is finished. Also a provision will be made for the filtration and disinfection of this collected water.			
2	Environmental Monitoring Cell should be formed and made functional.	Cell should be formed and Environmental Monitoring Cell had already constituted and it is working with full fledge. The detail of the Cell is presented in Annexure III for reference.			
3	Suitable avenue trees should be planted along either side of the tarred road and parking areas, if any.	Avenue trees will be planted along either side of the tarred road and parking areas. The landscape map and list of species have been already proposed during the first compliance and is presented as Annexure IV for reference.			
4	The project may incorporate devices of solar energy generation and utilization wherever possible.	A 20 kWp solar power plant is integrated in the project design and would be developed and implemented as part of the project accordingly.			
5	In case of any change in the scope of the project, the project would require a fresh appraisal by this authority	The scope of the work is slightly modified and the new modification is informed to SEIAA wide letter No JLD/GT/EE/005/2014-15 dated 13-06-2014.A copy of the letter is attached as Annexure V.			
6	The authority reserves the right to add the additional safeguard measures subsequently, if found necessary ,and to take the action including revoking of the environmental clearance under the provisions of Environmental (protection) Act,1986, to ensure effective implementation of the suggested safe guard measure in the time bound and satisfactory manner	Project proponent will comply with any additional conditions or modifications of existing conditions up to the satisfaction of SEIAA.			

7	All other statutory clearances shall be obtained, as applicable, by the project proponent\s from the respective competent authorities.	All statutory clearances applicable to the project, was already obtained at the time of first half yearly compliance and are annexed as follows : Building permit obtained from Thrikkakara municipality as Annexure VI for reference. No Objection Certificate from Fire and Rescue Service headquarters, Trivandrum and No Objection Certificate for height clearance from headquarters southern naval command, Kochi as Annexure VI for reference.
8	The stipulation by statutory authorities under different Acts and notifications be complied with , including the provision of Water (prevention and control of pollution) Act ,1974 ,the Air (prevention and control of pollution) Act 1981,the Environmental (protection) Act,1986, the public Liability (Insurance)Act,1991 and EIA notification, 2006	The Consent to Establish from KSPCB is obtained and attached as Annexure VIII.
9	The project proponent should advertise at least two local newspapers widely circulated in the region ,one of which shall be in the vernacular language informing that the project has been accorded Environmental Clearance and the copies of the clearance letter are available with the Department of Environment and Climate Change Govt. of Kerala and may also be seen on the website of the authority at www.seiaakerala.org.The advertisement should be made within 10 days from the date of recipient of the clearance letter and a copy of the same should be forwarded to the office of this authority as conformation.	Joyalukkas has already advertised in two local newspapers and the copy of the same is presented as Annexure IX for reference. The copy of the advertisement is being forwarded to the office of SEIAA vide nil letter number dated 26.03.2013. The copy of the communication is presented as Annexure X.
10	A copy of the clearance letter shall be sent by the proponent to concerned municipality and also the local NGO, if any from whom suggestions / representations, if any were received while processing the proposal .The clearance letter shall also be put on the website of the company by the proponent.	Proponent has already sent a copy of the clearance letter to concerned municipality and the copy of the communication made is attached in Annexure XI. The clearance letter as well as the compliance status is already available in the website of the company through the link: http://www.joyalukkaslifestyledevelopers.com/. A copy of the web display is presented as Annexure XII for reference.

11	The proponent shall submit six monthly report on compliance of the stipulated EC conditions including the results of monitored data (both in hard copies as well as by e-mail) upload the status of compliance of the stipulated EC conditions, including the results of monitored data on their website and shall upload the same periodically .It shall simultaneously be sent to the Directorate of Environment and Climate Change, Govt. of Kerala.	The half yearly compliance report shall be submitted both in hard and soft copies and the details of compliance including monitoring results shall be uploaded in the company website. The copy of the same shall also be submitted to Director of Environment and Climate Change, Kerala. The results of Environmental monitoring is attached with this report as Annexure XIII .
12	The proponent should provide affidavit that all the conditions stipulated in the EC shall be scrupulously followed.	The copy of the affidavit produced by the proponent is attached in Annexure XIV for reference.

ANNEXURE I

PHOTOGRAPHS OF THE PERMANENET FENCING PROVIDED AROUND THE TOWER LINE IN ACCORDANCE WITH KSEB NORMS



ANNEXURE II

ORDER NO. T6-13956/14/EIE DATED 29/09/14



Government of Kerala Department of Electrical Inspectorate Office of the Deputy Chief Electrical Inspector Thoppil Estate, Vyttila.P.O, Kochi-19 Phone :-0484-2307309 Email:-dyceiekm@ceikerala.gov.in



An IS 15700 : 2005 Certified Department

Proceedings of the Deputy Chief Electrical Inspector, Ernakulam

(Present:- K.P Raghavan)

Subject:- Construction of a residential building near 110 kV Kalamassery-Vyttila feeder between locations 25 and 26 in Sy. No. 42/1 in Vazhakkala village by M/s.Joy Alukkas, Life Style Developers Pvt. Ltd., Vazhakkala, Ernakulam - orders issued - reg:-

- Read:- 1. Letter No. DB-09/LMSDK/14-15/183 received on 16/09/14 of the Assistant Executive
 - Engineer, LMSD, Kalamassery
 - 2. Circular No. B1 / 19701 / 2010 / CEI Dated 21 / 01 / 2011
 - 3. Inspection conducted on 26/09/14

Order No. T6-13956/14/EIE dated 29/09/14

Sanction is hereby accorded under Regulation 63 of CEA (Measures relating to Safety and Electric Supply) Regulations, 2010 for the construction of a residential building near 110 kV Kalamassery-Vyttila feeder between locations 25 and 26 in Sy. No. 42/1 in Vazhakkala village by M/s.Joy Alukkas, Life Style Developers Pvt. Ltd., Vazhakkala, Ernakulam and as per the drawing countersigned by the Assistant Executive Engineer, LMSD, Kalamassery and approved by the undersigned subject to the following conditions:

- 1. The construction of the building should be strictly as per the approved drawing.
- Statutory horizontal / vertical clearance should not be fouled during and after the construction of the building.
- 3. Erection of temporary structure, scaffolding etc. shall not infringe the clearance noted in the drawing.
- 4. Transport of construction and other materials, movement of workers in the vicinity of power line and handling of iron rods, pipes and other similar materials on the top of the building should be done very carefully with efficient supervision and observing necessary safety precautions.
- 5. Workers engaged for the construction should be made fully aware of the danger involved due to the energized power line near the building construction.
- 6. T.V. antenna or similar structure should not be erected on the building fouling the statutory clearance from the line.
- Violation of regulations 61 & 64 CEA (Measures relating to Safety and Electric Supply) Regulations, 2010 should not be resulted during and after the construction of the building.
- 8. All the conditions stipulated by the Local Authorities should be complied with.
- 9. Any alteration or modification from the approved drawing shall be done only with prior written sanction from this office.
- This department will not in anyway be responsible for any contingencies occurring due to snapping/sagging of over head lines and violation of relevant regulations subsequently.
- 11. This sanction is subject disallowance or revision by the State Govt as per Regulation 116 of CEA (Measures Relating Safety and Electric Supply) Regulations 2010.

Deputy Chief Electrical Inspector

То

M/s.Joy Alukkas,

Life Style Developers Pvt. Ltd.

Copy to:

- 1. The Chief Electrical Inspector, Thiruvananthapuram.
- 2. The Assistant Executive Engineer, LMSD, Kalamassery
- 3. The Secretary, Thrikkakkara Municipality
- 4. Stock File

Case No.16728 e.solutions-7.5

ANNEXURE III

ENVIRONMENTAL MONITERING CELL DETAILS

ENVIRONMENTAL MONITERING CELL


1. General

As per the project schedule the project execution is through PMC. All the environmental practices is being implemented through PMC and will be monitored by the project proponent. A permanent organizational set up is formed to ensure the effective implementation of mitigation measures and to conduct environmental monitoring.

The major duties and responsibilities of Environmental Management Cell are as follows:

- To implement the environmental management plan,
- To assure regulatory compliance with all relevant rules and regulations.
- To minimize environmental impacts of operations by strict adherence to the EMP.
- To initiate environmental monitoring as per approved schedule.
- Review and interpretation of monitored results and corrective measures in case monitored results are above the specified limit.
- Maintain environmental related records.
- Coordination with regulatory agencies, external consultants and monitoring laboratories.
- Maintaining log of public complaints and the action taken.

2. EMC Structure



3. The Roles and Responsibilities of each of the EMC Officer

3.1. Project Head - Mr. Henry George

Project Head will be the head of the Environment Management Cell and perform the following tasks:

- In-charge of EMC and will be reporting to the Executive Director, Mr. Joyalukkas about the functioning of the EMC and routinely update on the progress.
- Submit all regulatory compliance documents to concerned authority
- Planning and execution of environmental monitoring.
- Review of the report submitted by the monitoring agency, checking -the compliance of the results with respect to the baseline environmental conditions and also with the relevant standard.
- Interact with the Environmental agencies, Health department and Fire services as and when required.
- Responsible for ensuring smooth functioning of the EMC and sort out any issues whenever it arises.

3.2. Management Representative - Mr. Vipin Radhakrishnan

Management Representative shall be directly reporting to Project Head. Management Representative's responsibilities will be

- Verify the reports submitted by Site Engineer of PMC.
- Make frequent site visit to the construction site and observe that good construction management practices are being followed.
- Ensure that the conditions laid out while granting the environmental clearance are strictly followed by PMC.
- Responsible for regular execution of the compliance report and reports to the head of the project regarding the reports of site engineer and about the status of environmental practices in the site.

3.3. Site Engineer - Mr. Manu P.G

Site Engineer of PMC shall be directly reporting to Management representative of project proponent. Site Engineer's responsibilities will be monitoring of successful Implementation of

- Project activities with due consideration on not polluting the environmental conditions of in and around project site.
- Proper Water supply and sanitation facilities during construction phase.
- Safe construction practices.
- Landscaping as per the landscape development plan.
- Sewage treatment Plant is being planned and executed as per the provisions.
- Preparation of monthly progress report on progress of activities and the environmental safeguards adopted.
- Assess the training requirements as suggested by Site Supervisor and execute as per the requirement.
- Ensure that all complaints are duly addressed and verified and actions taken accordingly in site.

3.4. Site Supervisor - Mr. Mohammed Saleem

Site supervisor and reporting to the Site Engineer of PMC and is responsible for execution of project activities such that

- Project activities with due consideration on not polluting the environmental conditions of in and around project site.
- Ensure adequate water supply and sanitation facilities during construction phase
- Safety aspects are duly followed.
- Landscaping as per the landscape development plan.
- Maintain log on the compliance made on the conditions laid out while granting EC.
- Report the training requirements of the PMC and report to Site Engineer.
- Maintaining log of public complaints and the action taken.

ANNEXURE IV

LANDSCAPE MAP OF PROPOSED PROJECT



ANNEXURE V

COMMUNICATION WITH SEIAA REGARDING THE MODIFICATION IN SCOPEOF THE PROJECT (LETTER NO. JLD/GT/EE/005/2014-15, DATED 13-06-2014)

No : JLD/GT/EE/005/2014-15 13th June, 2014.

Director Department of Environment & Climate Change Pallimukku, Pettah (P.O), Thiruvananthapuram-695 024

Dear Sir,

Sub: Environmental Clearance for the Proposed "Gold Tower" at Vazhakkala Village, Kanayannur Taluk, Ernakulum District, Kerala by M/S Joyalukkas India (P) Limited – Reg;.

Ref: SEIAA Letter No: 21/SEIAA/KL/871/2012 dated 14th November, 2012.

As you are aware, the environmental clearance for the subject work was accorded by SEIAA through the reference cited above. At the planning stage, the proposal was for a residential cum commercial building, with commercial area restricted to 11.70% within 2 floors. However, during the course of time there was a rethinking in this regard and now it is planned to change it completely as a residential building, without any appreciable change in the building parameters. Since the construction has just begun and the respective works are about to execute, we here by intimate you on the small change in project as mentioned above.

Thanking you, Yours faithfully;

For Joyalukkas Lifestyle Developers Pvt. Ltd.

Authorized Signatory

Copy to: Senior Environmental Engineer, Kerala State Pollution Control Board, District Office, Ernakulam



Regd. Office: Joyalukkas Lifestyle Developers Pvt. Ltd., No.40/2096, A & B Peevees Triton, Marine Drive, Ernakulam - 682031, Ph : 0484 2385035 CIN : U55101KL1994PTC007964 Project Office : Joyalukkas Lifestyle Developers Pvt. Ltd., 2/144, Vazhakkala, Kochi - 682 030.

Lifestyle developers

ANNEXURE VI

BUILDING PERMIT OBTAINED FROM THRIKKAKARA MUNICIPALITY

MUNICIPAL COUNCIL, THRIKKAKARA

APPENDIX C

[See Rule 11(3)]

BUILDING PERMIT

No. BAL 65/1/2011	Date 10/2/12
	rom Sri/Smt JOYALUKKAS LIFESTYLE
DEVELOPERS PRIVATE LIMIT	100 1
0	n / re-erection / addition / alteration / demolition of building / hut /
	lads
No or near	the building No
42/1 Vazhakkak Villa	le Taluk Kangyannya
District Empekulan	te Taluk Kangyannya
(specify the occupancy) purpose, subject to	the conditions stated below:
	PF: - 1, 60,00,000 -
(1)1), IF ANY VIOLATION ARI (2) PERMIT WILL BE CANCE	Desider of other the part of the second states of t
(2)STEPS WITT BE TAKET	I WITHOUT NOTICE
(3)2):PROVIDE PAINWA7 (4)TANK & WASTE D 3). BUILDING CONSTRUM UNDER PROVISION	En HARVESTING Ownership Changed Super Order ISPOSAL UNIT Ownership Changed Super Order DTION SHOULD BE NO: BA/ 65/1/ 2011 Dtd 16/5/14
(4)	CTION SHOULD BE MA: DOL GOL
·····································	3. OF KMBR 1999
е 10	This Permit already sourced
Plinth area of the building is as follo	4728 m200 10/2/12
Basement floor 2 Anes- Basement floor 1 Anes- Ground Floor 1 Anes-	4728 m200 10/2/12
Ground Floor	2720, m2
First Floor Arreg	2720. 2
First Floor Area - Second Floor Area - Typicay 71008 Area -	21220, mc
	(1410 x 21)
51	
Place : /hmikkakana	OF THE MUNICIPAL ENO
Place : Thrikkakana Date : 16/5/14,	THRIKKAKARA
	R. PRA Forginger
Notes: (1) The development permit or h	H. PRAKAGINER Municipal Engineer Municipal Engineer Municipal Engineer Municipal Engineer Municipal Engineer Municipal Engineer Municipal Engineer Municipal Engineer Municipal Engineer
shall be valid for three years	from the date of issue and may be relieved twice each for
three years.	
	hall be submitted to the Secretary in white paper, typed or
and approved plan.	essary court fee stamp and accompanied by copy of permit
	shall be fifty percent of the prevailing permit fee.
	e Kerala Building Rules, 1984 and remaining valid at the
	shall be deemed to have been issued under these rules and d and on like terms as a permit issued under these rules.

തൃക്കാക്കര നഗരസഭ സെക്രട്ടറിയുടെ ഉത്തരവ് നടപടികൾ

വിഷയം.–	കെട്ടിടം	നിർമ	ച്മാണാനുമതിയും	ടെ കാലാവധി ദീർഘ	ലിപ്പിക്കുന്നര	ന് സംഭ	മ്പന്ധി	ിച്ച്.
mmid:	1.65/	.1.[.	.2011		തീയതി.	1.4.	.5.	2.015

NOODBURG- 1. JOY ALVICIONS LIFESTYLE DEVELOPERS PUT LTD ON 23-01-15- Des

ഉത്തരവ്

തൃക്കാക്കര നഗരസഭ അതിർത്തിയിൽ കാക്കനാട്/ വാഴക്കാല വില്ലേജിൽ കണയന്നൂർ
താലൂക്കിൽ
് പ്ര സർവ്വേ നമ്പറിൽ പെട്ട സ്ഥലത്തു നിർമ്മിക്കുവാനുദ്ദേശിക്കുന്ന കെട്ടിടത്തിന്റെ
നിർമ്മാണാനുമതിയുടെ കാലാവധി പരാമർശം അപേക്ഷ പരിഗണിച്ചും, റിന്യുവൽ
ഫീസിനത്തിൽ .4.9000 രൂപ /.115.0.2.0.4.67.4
അടച്ചതിന്റെ അടിസ്ഥാനത്തിൽ 16 - 2 - 2015 മുതൽ 9 - 02 - 2018
വരെയ്ക്കും ദീർഘിപ്പിച്ചുകൊണ്ട് ഇതിനാൽ ഉത്തരവാകുന്നു.



JOY ALVKICA LIFESTYLE DEVELOPERS PUT LAD CRAAKULAM

MURALERMUHSMN E.K. Municipal Engineer Minicipal Engineer Philicipal Minicipality Ph 2422383

ANNEXURE VII

NO OBJECTION CERTIFICATE FROM FIRE AND RESCUE SERVICE & NO OBJECTION CERTIFICATE FOR HEIGHT CLEARANCE "ഭരണഭാഷ - മാത്യഭാഷ"

Fire & Rescue Services Hqrs, Housing Board Junction, Thiruvananthapuram-1 Phone:0471-2320872. Email-keralafireandrescueservices@gmail.com Dated: 04.05.2013.

No.G1-11120/2012.

NO OBJECTION CERTIFICATE

(SITE)

The plan of 27 storeyed (B2+B1+G+24) height 81 metres Mercantile Cum Residential Building (Mercantile Portiion upto 10.5 Metres (G+2) floors and 3rd floor proposed for service & Aminity purpose)in Survey No.42/1 in Vazhakkala Village in Thrikkakkara Municipality proposed to be constructed by M/s. Joy Alukkas Traders India (P) Ltd., Regd. Office, Marine Drive Cochin was verified by the Scrutiny Committee, Fire & Rescue Services Headquarters, Thiruvananthapuram on 02.01.2013. The Committee has recommended to issue No Objection Certificate in respect of the plan submitted by the applicant subject to the following conditions.

- (1) All the fire fighting arrangements should be made as per the existing relevant rules and approved fire fighting system plan.
- (2) Fire escape & main staircases should reach up to the roof top.
- (3) Fire lift is essential in all blocks as per NBC Part IV 2005.
- (4) Any Deviation in the Final Site Plan submitted will invalidate this NOC and a fresh NOC need to be obtained.
- (5) 11 KV & 66 KV electrical lines are passing near the proposed Site. Hence the NOC from the Electrical Inspectorate will be obtained before Construction of Building.

2) Under my seal and authority a No Objection Certificate is issued for the proposed construction of a 27 storeyed Mercantile Cum Residential building in the above mentioned site and survey number. A fresh No Objection Certificate should be obtained from this Department after completion of construction and before occupation of the building.

Sd/-

P.CHANDRASEKHARAN, IPS COMMANDANT GENERAL, FIRE & RESCUE SERVICES.

To

The Secretary, Thrikkakkara Municipality. Vide Lr.No.BA-65/1/2011 Dated: 11.10.2012.

Copy to: The Party (with approved fire fighting system plan)

The Assistant Divisional Officer, Fire & Rescue Services, Ernakulam. The Station Officer, Fire & Rescue Station, Thrikkakkara.

Approved for issue,

P.K.SATHYAN, Solet DIRECTOR (ADMN.)

GOVERNMENT OF KERALA

M.6/5

Tele: 2872049

Reply should be addressed to the Flag Officer Commanding-in-Chief

Quoting: AO/ 999/ HC

Headquarters Southern Naval Command Kochi - 682 004

Apr 16

M/s Joy Alukkas Life Style Developers Pvt Ltd. Door No. 40/ 2096/A & B, Peevees Triton, Marine Drive Ernakulam Kochi – 682031

ISSUE OF NOC FOR HEIGHT CLEARANCE FOR THE CONSTRUCTION OF NEW BUILDING PROJECT 'GOLD TOWER' SITUATED AT VAZHAKKALA, ERNAKULAM

1. Refer to your letter No. JLD/ GT/ LTR/ 002/ 2015- 16 dated 19 Oct 15 regarding construction of New Building Project in Survey/ Plot No. 42/1, Block No. 09 of Vazhakkala Village, Kanayannur Taluk, Ernakulam District, Kerala.

2. The Indian Navy has no objection for the proposed construction at a distance of 9.1 Kms on a bearing of 041° from Aerodrome Reference Point (ARP) upto a maximum height of 96.45 Mtrs Above Mean Sea Level (AMSL) including water tank, aerials, lift-well, etc.

3. The building is to be marked by day and night during construction and on its completion as per ICAO Annexure 14 Chapter 6 so as to be clearly visible from air. Backup power supply arrangements are also to be made to ensure lighting during prolonged power failures. The details regarding the markings of building may also be obtained from the Senior Air Traffic Control Officer, INS Garuda, Naval Base, Kochi on Tel - 2873182.

4. No Objection Certificate is issued on the express understanding that the site elevation, height of structure including any super structure on top, relative position, distance and bearing from runway end as tendered are correct. If, at any stage, it is established that the said data as tendered by you is different from the one submitted and which could adversely affect aircraft operations, the structure in respect of which NOC has been issued shall have to be demolished at your own cost. The applicant is therefore advised to again verify the site/ground elevation and distance from runway end /ARP before commencement of the construction.

5. The issue of NOC is further subject to the provision of section 9A of the Indian Aircraft Act 1934 (and as amended from time to time), ATMC Circular 06/2012 and Gazette of India Notification SO 84 (E) dated 14 Jan 10 and any amendments issued there under from time to time under which applicant may be called upon by this Headquarters, Southern Naval Command to demolish in whole or part of the structure authorized by this NOC.

6. In addition to the above, you are also requested to ensure the following:

(a) No light or combination of lights, which by reason of its intensity, configuration or colour may cause confusion with the aeronautical ground lights of the airport and no reflecting surface which may cause glare/glint to the aircraft on final approach shall be installed at the site at any time during or after the construction.

(b) There should be no electromagnetic transmission of any nature that may cause interference to aircraft / Air Traffic control radiotelephony operation.

(c) Cleared structure be marked and lighted with secondary power supply in accordance with Chapter VI of Annex 14.

(d) Construction of helipad on top of the building, if planned, is to be commenced only after obtaining separate permission for the same.

7. The NOC for construction of the rooftop helipad is not to be construed as permission for Helicopter operations from the rooftop helipad. You are required to obtain necessary clearances from various other concerned agencies viz. Fire Dept, Police Dept, Municipal Body (as applicable) and DGCA prior to commencement of helicopter operations from the rooftop helipad.

8. This certificate is valid for a period of **five years** from the date of issue. If the construction does not commence within five years of issue or is found to be in deviation from the original proposal, the NOC shall be deemed null and void. If it is envisaged that the building would take more than five years for completion, you are required to obtain a fresh NOC from this Headquarters prior to expiry of this NOC.

9. The building **Completion Report along with Occupancy Certificate** from Corporation is to be rendered to this Headquarters with a copy to the Commanding Officer INS Garuda, Naval Base, Kochi.

10. This NOC pertains only to safety of aircraft operations from Naval Air Station Kochi (INS Garuda). Since the site of the proposed construction <u>also</u> falls within a distance of 20 Km radius from the Cochin International Airport (CIAL), another NOC regarding safety of aircraft operations from CIAL <u>also</u> is required to be obtained from CIAL authorities as advised to you by this office letter No AO/999/HC dated 28 Dec 15.



The Chief of the Naval Staff (for DNAS) Integrated Headquarters of Ministry of Defence (Navy) New Delhi – 110011

The Secretary, Kochi Municipal Corporation Near Boat Jetty, Park Avenue Road Ernakulam, Kochi – 11

The Commanding Officer INS Garuda

The Managing Director Cochin International Airport Kochi Airport P.O. Ernakulam-683111

(Subhash Chandra) Commander Command Aviation Officer II for Flag Officer Commanding-in-Chief

ANNEXURE VIII

THE CONSENT ESTABLISH FROM KSPCB

FILE NO. - PCB/HO/EKM/ICE/32/2014





KERALA STATE POLLUTION CONTROL BOARD

INTEGRATED CONSENT TO ESTABLISH

ISSUED UNDER

The Water (Prevention & Control of Pollution) Act, 1974 The Air (Prevention & Control of Pollution) Act, 1981 The Environment (Protection) Act, 1986

TO

Consent No. PCB/HO/EKM/ICE/20/2014 M/s. Joyalukkas Life style Developers Private Limited 2/144, Vazhakkala, Kochi - 30

(for M/s. The Gold Tower, Vazhakkala)

Date: 19.09.2014

Validity: 30.06.2016

Copy to:

- 1. The Chief Environmental Engineer, Regional Office, Ernakulam
- 2. The Environmental Engineer, District Office-1, Ernakulam
- 3. The Secretary, Thrikkakara Municipality
- 4. Stock File



1. GENERAL

1	Validity	30.06.2016		
2	Name and Address of the establishment	The Gold Tower Vazhakkala Ernakulam		
3	Communication	Telephone: 9497725910 e-mail: <u>customercareindia@joyalukkas.com</u> Website: www.joyalukkas.com		
4	Occupier details	Shri. Joy Alukkas Alias A. V. Joy		
5	Survey Number	42/1		
6	Local body	Thrikkakara Municipality		
7	Village	Vazhakkala		
8	Taluk	Kanayannur		
9	District	Ernakulam		
10	Category	Orange		
11	Annual Fee	₹ 1,00,000/-		
12	Fee remitted	₹ 3,00,000/-		
13	Capital Investment	₹ 52.17 crore		
14	Date of receipt of application	24.07.2013		
15	Date of receipt of last clarification	01.08.2014		
16	Date of enquiry	31.10.2013		
17	Water consumption	161.335 KLD		
18	Effluent Generation	150 m ³ /d		
19	Activity	Construction of 176 apartments in B1 + B2 + G + 24 floors with total built up area 45091.38 m ² DG set - 250 kVA (2 nos)		



2. GENERAL CONDITIONS

- This consent is granted subject to the power of the Board to review and make variation in all or any of the conditions. 2.1
- This consent, unless withdrawn earlier and subject to Condition no. 2.1, shall be valid upto 30.06.2016. At the end of the validity period if the construction is in progress, the same shall be got renewed. If the 2.2 construction is not started in the consent period, the applicant shall apply afresh for consent to establish. Applications shall be submitted through online consent management system vide krocmms.nic.in.
- The applicant shall comply with the instructions that the Board may issue from time to time regarding prevention and control of air, water, land 2.3 and sound pollution.
- The date of commissioning of the project shall be intimated at least one month in advance to the District Office of the Board at Ernakulam. 2.4
- Consent to Operate under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981 2.5 shall be obtained by the builder before commissioning the project.
- A minimum set back as per Municipality Building Rule shall be provided between the boundary and the building and the set back can be utilised 2.6
- for the development of green belt. Sewage Treatment Plant (STP) shall be set up beyond a minimum
 - distance of 10 log Q metre, where Q is the sewage inflow in m³/day, from 2.7 the nearest residence/ other establishments.
 - D. G. sets shall be placed at a minimum distance of $\sqrt{(kVA/2)}$ metre from nearest residence/worship places/other institutions (kVA is the capacity 2.8 of D G sets).

The Water (Prevention & Control of Pollution) Act, 1974

- Effluent treatment plant consisting of treatment units with adequate design capacity as per the proposal submitted along with the application and 3.1 additional treatment units such as ultrafiltration in order to achieve the treated effluent quality standards shall be constructed above ground level / cellar room having adequate space for inspection and shall be made functional before commissioning.
- The sullage after chemical precipitation and settling shall join the sewage in 3.2
- the aeration unit. Anaerobic system shall be introduced for sewage before treating in the aeration tank. Anoxic tank shall be replaced with adequate septic tanks. 3.3
- Back wash from the filters shall be taken into aeration tank.
- The screenings from the screen, skimmings from oil trap and entire sludge 3.4 from sullage settling tank and excess sludge from post aeration tank along 3.5 with biodegradable garbage shall be fed into biogas plant.
- Disinfection unit shall be introduced between Pressure sand filter and 3.6 Activated carbon filter.

The characteristics of treated effluent shall conform to the following

SI. No.	Characteristics	Unit	Gardening/ Flushing / Car washing	
1.	pH	-	6.5-8.5	
2.	Suspended solids	mg/l, max	20	
3.	BOD, (3 day at 27°C)	mg/l, max	3	
4.	Oil & Grease	mg/l, max	1	

4

3.7

tolerance limits :

The treated effluent shall be reused for flushing & gardening to the 3.8 maximum extent possible and balance shall be discharged into soak pit having honey combed brick wall / perforated ring side wall and 45 cm thick 2 mm sand envelop around it.

3.9 There shall be easy access to each and every effluent treatment unit and the recycling facility for inspection. Lighting arrangements shall be provided in the effluent treatment area, recycling area and backyard.

- 3.10 Time of Day type energy meter shall be installed exclusively for the effluent treatment and reuse system and shall be maintained properly.
- 3.11 The biodegradable solid waste including garbage shall be treated and disposed through biogas plant. Biogas and slurry shall be utilized effectively.
- 3.12 Arrangements shall be provided for rain water harvesting and for utilization of harvested rain water. The rainwater harvesting system shall be placed at a minimum distance of 20 m away from the soak pit.
- 3.13 Diesel generator of adequate capacity shall be provided as backup power to run the sewage / waste water treatment plant alongwith all associated pollution control devices.
- 3.14 Natural drainage of the area shall be protected.
- 3.15 Water meter shall be fixed to record consumption of water.

4. CONDITIONS AS PER The Air (Prevention & Control of Pollution) Act, 1981

- The DG set shall be acoustically protected. The minimum height of chimney 41 for venting emissions from DG set shall be 0.2 VkVA metre above roof level of the highest nearby building, where kVA is the capacity of the D G set.
- The sound level measured at 1 m outside the boundary of the premises 4.2 shall not exceed the ambient sound level applicable to the adjoining area.
- 4.3 All operations likely to produce dust or noise shall be carried out with appropriate enclosure.



4.4 Water sprinklers shall be provided to suppress spreading of dust outside the premises during the construction phase. Suspended particulate matter at the boundary of the premises shall not exceed the standards applicable to the adjoining area.

5


5. ADDITIONAL CONDITIONS

- 5.1 Proper precautionary measures shall be provided during construction phase to minimize disturbance to neighbours and neighbouring properties due to excavation, piling, transportation of materials etc.
- 5.2 The construction debris and mud discharges etc from the construction site shall be disposed safely.
- 5.3 Sanitary facilities shall be provided to the construction workers.
- 5.4 Non biodegradable wastes shall be collected with due segregation and disposed off safely. The mode of disposal shall be intimated to the Board.
- 5.5 Suitable species of trees and curtain plants shall be planted and maintained within and along the periphery of the premises, forming a green belt to improve the environment.
- 5.6 Renewable sources of energy namely solar energy shall be utilized effectively.
- 5.7 Used Lead acid batteries, if any shall be disposed as per the Battery (Management and Handling) Rules.
- 5.8 The location of the proposed buildings, sewage treatment plant, DG sets and other structures shall be as shown in the drawing attached. No change or alteration on these shall be made without prior clearance from this office.
- 5.9 Adequate safety measures shall be provided in accordance with fire safety regulation.
- 5.10 e- waste shall be disposed in an environmentally sound manner.
- 5.11 All conditions in Environmental Clearance No. 21/SEIAA/KL/871/2012 dated 14/11/2012 shall be fully complied with.

Date: 19.09.2014


MEMBER SECRETARY

Office Seal



ANNEXURE IX

COPIES OF NEWS PAPER ADVERTISEMENTS MADE ON GRANTING OF EC



union nuc I pandon

273

เมือ โลย มีกับ รู้เสีย เสียง รู้เสี เสียง รูเสีย มีการที่ รูเสีย เสียงการที่ เสียงการที่ เสียงการที่ เสียงการที่

ໜັດໜັກກາງ ຄາຍສາມ ຈະພັດສາຍສາຍ ແລະອາດາດ ແລະອາດາ ແ

പ്പെട് പ്രാസ്ഥാന മാ^{ന്ന്} പ്രത്യാന്ത്രാന്ത്രം നിയന്ത്ര നിയന്ത്ര നിയന്ത്രം നിയന്തരം നിയന്ത്രം നിയന്തരം നിയന്ത്രം നിയന്ത്രം നിയന്ത്രം നിയന്ത്രം നിയന്തരം നിയന്ത്രം നിയന്ത്രം നിയന്ത്രം നിയന്ത്രം നിയന്ത്രം നിയന്ത്രം നിയന്തരം നിയന്തരം നിയന്തരം നിയന്ത്രം നിയന്ത്രം നിയന്തരം നിയന്ത്രം നിയന്ത്രം നിയന്തരം നിയന്തര നിയന്തരം നിയന്തന്തരം നിയന്തരം നിയന്തരം നിയന്തരം നിയന്തരം നിയന്തനം നിയന്തരം നിയന്തരം നിയന്തരം നിയന്തരം നിയന്തനം നിയന്തരം നിയന്തരം നിയന്തനം നിയന്തനം നിയന്തനം നിയന്തരം നിയന്തനം നിയനം നിയന്തനം നാതനം ന നാനനം നിയന്തനം നാതന്തനം നാതനം ന നാനനം നി

പൊതു അറിയിഷ്

50

4

Maman

×

ເບັດນະຫຼາດໄປ ເວເດີ 20 ເທດກ ຢ່ອງຫວະຫວາດວັ And Ster State

സ്ത്രതിരു പ പടി സ്ഥകരി ഫ് എക്സ് 13ന്ദ് അറിയി 12ന് കര്ഷക ഉായ പച്ചക്ക എറണാകുളം ജില്ലയിൽ കണായനുർ താലപ്പേകിൽ വാഴക്ഷേധ ന്നാല്ല ജിൽപ്പെട്ട നിന്നർവെ നമ്പർ 47/1. പ്ലോക്ക് നമ്പർ ഉത് ജോണ് തല്പെക്കാന് ജാന്ത്യ വൈഷ്യറ്റ് പ്രിതിറ്റഡ് നിർമ്മിക്കാൽ ഇദ്ദേശിക്കുന്ന വെറി ഡെൻഷ്യലും കേക്ഷേയ്യവും ആയ വിൽഡിംഗിന് പ്യോട്ട് എത്താം ഡോൺകൊറ്റെ ഈപോക്ട്ട് അണ്ലസ്റ്റ്മെറ്റ് അതോറിറ്റി, ക്ലൈയിൽ നിന്നും ഡോൺകൊറ്റെ ഇപോക്ട്ട് അണ്ലസ്റ്റ്മെറ്റ് അതോറെറ്റി, ക്ലൈയി നിന്നും ഡോൺകൊറ്റ് ക്ലിയറൻസ് നില്പ്പിട്ടാള് അഞ്ഞാനുള്ള വിവരം ഇതിയാൽ അറിയിച്ചു കൊത്രുന്നു. ഈ അനുമതിയുണ്ടെ കോപ്പി എൺവ യോൺകെന്റെ ആറ്റ്റ് പ്ലൈജറ്റ് ചെയ്ഞ്ഞ് കേര്ള സ്പർക്കാതിൽ നിന്നും ഡാൺകൊറ്റ് ആറ്റ്റ് പ്ലൈജറ്റ് ചെയ്ഞ്ഞ് കേര്ള സ്പർക്കാതിൽ നിന്നും ഡാൺകെന്റെ ആറ്റ്റ് പ്ലൈജറ്റ് ചെയ്ഞ്ഞ് കേര്ള സ്പർക്കാതിൽ നിന്നും

34



DE LACKIEU **Express News Service**

Kochi: Keeping in mind the mounting threat of the declining sex ratio among children below six in the state, the National Rural Health Mission(NRHM) has joined hands with the Social Welfare Department to tackle the issue.

The NRHM noted that sex ratio among children below the age of six has declined to the lowest in several decades. Though Kerala has kept up its position in various health indicators, the decline in the ratio is a cause of concern for

the future, it said. The ratio is the worst in the central and southern districts, including Ernakulam 954), Thrissur (948), Idakki (958), Alappuzha (947) and Kottayam (957). The Health Department should take steps to create awareness about the issue, consideting the prevalence of the.

preference for a male child. The NRHM called for strict steps and constant monitoring of female foeticide in the state. The NRHM and the Social Welfare Department June Pallan ance Officers

IIIUC-UCAICI Elected Par antil Kochi: Juno Pallan, senior divisional" manager, Kozhikode, and Gopikrishnan, divisional manager. Thiruvanan-Gopikrishnan thapuram, were elected state presidentand secretary of the United India Insur-

would initiate projects to deal Association (Kerala), states an official release.

20

R

Iraining Programme

all the **Express News Service** aving huary,

regis-

ed the

alm.

1505

Cor-

blie

ap-

np

ation Kochi: A training pro-gramme on 'Basic Life Saving Techniques' was organised by the Kerala Chamand ber Ladies Forum in association with Sunrise Hospital here on Tuesday. The programme covered topics including burns, road accidents, allergies, head injuries and heart attacks. The training programme was carried out by a medical team from Sunrise Hospital.

MEDICAL COLLEGE

cut-673315.

IT ASSOCIATION

DIPLOMA COURSES 2013

e candidates for the All India Entrance test to be Graduate Medical Degree/Diploma courses for the

Secretary KPMCMA

ember colleges of the Kerala Private Me MCMA). Prospectus and Application can be had rards. Last date for receipt of application is If any passed by appropriate Authentites/ Courts of Law

TO POST GRADUATE

ww.kpmcma.net.

This is to inform to the General Public that the proposed construction of a residential cum commercial building project at Re-survey No. 42/1, Block No. 9 of Vazhakkala Village, Kanayannur Tatuk Emakulam District, Kerala being developed by M/s Joyalukkas India

NOTICE

Pvt. Ltd. is accorded with ENVIRONMENTAL CLEARANCE by Statu Environment Impact Assessment Authority, Kerala vide Order No. 21/SEIAA/KL/871/2012 dated. 14.12.2012 and the copy of the Environmental Clearance is available with the office of Decartment of Environment and Climate Change, Govt, of Kerdia and may also be deen on the website of the Authority at www.selaakerala.org

NOTICE

STRIKE BY BANK EMPLOYEES ON 20" DECEMBER 2012

Indian Banks' Association (IBA), on behalf of its member banks, wishes to inform the public in general and banks customers in particular that All India Bank Employees Association (AIEEA), Bank Employees' Federation of India (BEFI) and All India Bank Officers' Association (AIBOA) have given a call to their members for a strike on 20° December, 2012 raising certain demands. At IBA level, efforts are being made to avent the proposed strike. In case, the strike materializes, the working of the banks where the Unions / Association have majority membership may get affected on 20" December 2012- As a precaution, all concerned are requested to transact their banking business in advance/ use alternate channels of banking facilities to avoid inconvenience to the extent possible.

IBA; on behalf of its member banks, regrets the inconvenience that may be caused to customers members of the public.

INDIAN BANKS' ASSOCIATION

www.lba.org.in

ANNEXURE X

COMMUNICATION TO SEIAA ON NEWS PAPER ADVERTISEMENTS

26.03.2013

World's favourite jeweller

From,

PP.Jose, Executive Director, M/s. Joyalukkas India Pvt.Ltd, Peevees Triton, Marine Drive, Kochi-31

To,

The Secretary, SEAC, Kerala

Sub :- Submission of Documents after issuance of EC

Ref :- 1. Our Letter Dated 03.01.2013

2. Your letter No. 21/SEIAA/KL/871/2012 Dated 8.03.2013.

Sir,

With reference to item No.1 referred above we had forwarded the copy of the "Proceedings of the State Environment Impact Assessment Authority", the original paper publications and Notarised Affidavit in compliance to the directions of your good office. Unfortunately vide item No. 2 above it is intimated to us that the notary attested affidavit is not received in your office.

In the light of the above and in compliance of the directions from your good office we are forwarding herewith the copy of the affidavit which was sent earlier and an original of the fresh affidavit.

Kindly acknowledge receipt of the fresh Affidavit in compliance of the directions. Regret the inconvenience caused.

Yours faithfully



PP.Jøse

Executive Director.

Branches: New Delhi, Mumbai, Haryana, Bangalore, Hubli, Shimoga, Mysore, Mangalore,

Registered Office: Joyalukkas India Private Limited, Marine Drive, Kochi India -682.031

ANNEXURE XI

COPIES OF COMMUNICATION ON GRANTING OF EC BY SEIAA TO MUNICIPALITY



17th December, 2012.

Municipal Secretary, Thrikkakara Muncipality, Kakkanad P.O Pin - 682030

Ref No: File 21/SEIAA/KL/871/2012 dt. 14/11/2012

Sub: Environmental Clearance - Submitting copy of the Environmental Clearance for the Proposed residential cum commercial project at Re-survey No.: 42/1, Block No.: 9 of Vazhakkala Village, Kanayannur Taluk, Ernakulam District, Kerala.

Dear Sir,

We, M/s Joyalukkas India (P) Ltd., (formerly Joy Alukkas Traders (India) Pvt. Ltd.) Propose to develop a residential cum commercial-project at re-survey No .: 42/1, Block No .: 9 of Vazhakkala Village, Kanayannur Taluk, Ernakulam District, Kerala. Attached herewith the copy of the Environmental Clearance bearing No. 21/SEIAA/KL/871/2012, dated, Thriruvananthapuram 14-11-2012 from State Environmental Impact Assessment Authority, Kemla (SEIAA) for your reference and record.

Thanking you, Yours faithfully,

For Joyalukkas India (P) Ltd.

P. P Jose, Executive Director.




Branches:

Mumbai, Gurgaon, Bangalore, Mangalore, Hyderabad, Vijayawada, Chennai, Coimbatore, Madural, Salem, Tirunelvell, Vellore, Karur, Kancheepuram, Puducherry, Cochin, Angamaly, Thiruvalla, Kollam, Kottayam, Thrissur, Thiruvananthapuram,

Registered Office: Joyalukkas India Limited, Marine Drive, Kochi, India- 682031 Tel: 0484 2385035, Fax: 0484 2385032 E-mail: customercare@joyalukkas.com Website: wwwjoyalukkasindia.com

ANNEXURE XII

A COPY OF THE COMPANY WEBSITE DISPLAY



ANNEXURE XIII

ENVIRONMENTAL MONITORING RESULT PICTURES DEPICTING ENVIRONMENTAL MONITORING



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

AMBIENT AIR QUALITY MONITORING REPORT

Report No : CTH/LR/16/08/862 A

Issue Date : August 23, 2016

Issued To: M/S.Joy Alukkas, Life Style Developers Pvt. Ltd Vazhakkala, KOCHI – 682 030

Lab Identification No.	16/NN/862 A
Monitoring Station	Gold Tower Site, Kochi
Monitoring Date	19.08.2016
Monitored By	Cochin Test House
Date of Analysis	19.08.2016 - 23.08.2016

Parameters	Unit	Method		Result	
			11AM – 7PM	7PM – 3AM	3AM - 11AM
SO ₂	µg/m ³	IS:5182(Pt.2):2009	14.32	10.13	13.09
NOx	µg/m ³	IS:5182(Pt.6):2006	16.17	17.89	19.92
СО	mg/m ³	IS:5182(Pt.10):2009	BDL(MD-0.11)	BDL(MD-0.11)	BDL(MD-0.11)
PM 10	µg/m ³	IS:5182(Pt.23):2006	49	.31 (24 hrs Sampl	ing)
PM _{2.5}	µg/m ³	USEPA	20	.15 (24 hrs Sampl	ing)
	SO ₂ NO _X CO PM 10	SO2 μg/m³ NOx μg/m³ CO mg/m³ PM 10 μg/m³	SO2 μg/m³ IS:5182(Pt.2):2009 NOx μg/m³ IS:5182(Pt.6):2006 CO mg/m³ IS:5182(Pt.10):2009 PM 10 μg/m³ IS:5182(Pt.23):2006	SO2 μg/m³ IS:5182(Pt.2):2009 14.32 NOX μg/m³ IS:5182(Pt.6):2006 16.17 CO mg/m³ IS:5182(Pt.10):2009 BDL(MD-0.11) PM 10 μg/m³ IS:5182(Pt.23):2006 49	SO2 μg/m³ IS:5182(Pt.2):2009 14.32 10.13 NOx μg/m³ IS:5182(Pt.6):2006 16.17 17.89 CO mg/m³ IS:5182(Pt.10):2009 BDL(MD-0.11) BDL(MD-0.11) PM 10 μg/m³ IS:5182(Pt.23):2006 49.31 (24 hrs Sample)

BDL- Below Detection Limit; MDL-Minimum Detection Limit.

End of Report

ed B

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

TEST REPORT

Report No : CTH/LR/16/08/862 B

Issue Date : August 24, 2016

Name and Address of customer

Sample Drawn By Particulars of the sample Sample code Date of receipt of sample Dates of Analysis Description of the sample by the customer M/S.Joy Alukkas,
Life Style Developers Pvt. Ltd Vazhakkala, KOCHI – 682 030
Cochin Test House
Water Sample
16/NN/862 B

19.08.2016

19.08.2016 - 23.08.2016

: Ground water

SI.No.	Parameters	Unit	Method	Result
1	Colour	Colour units	IS :3025 (Pt.4)	2.0
2	Odour	-	IS:3025 (Pt. 5)	Unobjectionable
3	Turbidity	NTU	IS 3025 (Pt.10)	BDL(MDL - 1.0)
4	pH@25°C	-	IS: 3025 (Pt.11)	7.29
5	Total Hardness asCaCO ₃	mg/l	IS 3025 (Pt. 21)	62
6	Iron as Fe	mg/l	IS :3025 (Pt.53)	0.24
7	Chloride as Cl	mg/l	IS: 3025 (Pt.32)	33.50
8	Total Dissolved Solids	mg/l	IS :3025 (Pt.16)	142
9	Sulphate as SO ₄	mg/l	APHA:22 nd Ed. 2012 4500 SO4 ² E	23.9
10	Alkalinity as CaCO ₃	mg/l	IS :3025(Pt.23)	64.07
11	Electrical Conductivity @ 25°C	Micromhos/cm	IS :3025(Pt.14)	281
12	Calcium as Ca	mg/l	IS :3025(Pt.40)	20.8
13	Magnesium as Mg	mg/l	IS:3025(Pt.46)	2.43
14	Residual Free Chlorine	mg/l	IS :3025(Pt.26)	BDL(MDL - 1.0)
15	Reactive Silica as SiO ₂	mg/l	IS:3025(Pt.35)	13.59
16	Total Phosphate as P	mg/l	APHA:22 nd Ed. 2012 4500-P(C)	0.54

BDL –Below Detection Limit; MDL – Minimum Detection Limit.

End of report

Verifie

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

Report No : CTH/LR/16/08/862 C Name and Address of customer		: M	Issue Date /S.Joy Alukkas,	: August 26, 2016	
			e Style Developer	s Pvt. Ltd	
			azhakkala, KOCHI		
Sample Draw	vn By		Cochin Test House		
Sample code			16/NN/862 C		
Date of Mon		: 1	9.08.2016 - 20.08.2	2016	
Monitoring L	ocation	: (Gold Tower Site, K		
SL.NO	SL.NO TIME		L10	L50	L90
1	11.00 AM - 12.00 AM	65.0	70.0	65.8	61.9
2	12.00 AM - 01.00 PM	63.6	63.6	64.8	61.1
3	01.00 PM - 02.00 PM	65.3	61.8	63.2	63.2
4	02.00 PM - 03.00 PM	70.0	65.4	65.2	60.7
5	03.00 PM - 04.00 PM	63.6	63.9	65.0	51.5
6	04.00 PM - 05.00 PM	61.8	64.9	63.6	49.5
7	05.00 PM - 06.00 PM	65.4	65.1	65.3	60.0
8	06.00 PM - 07.00 PM	63.9	63.4	70.0	60.7
9	07.00 PM - 08.00 PM	64.9	54.6	63.6	60.6
10	08.00 PM - 09.00 PM	65.1	52.9	61.8	60.9
11	09.00 PM - 10.00 PM	63.4	60.8	65.4	61.0
12	10.00 PM - 11.00 PM	54.6	61.1	63.9	61.9
13	11.00 PM - 12.00 PM	52.9	61.0	64.9	61.1
14	12.00 PM - 01.00 AM	60.8	61.2	65.1	63.2
15	01.00 AM - 02.00 AM	61.1	61.7	63.4	60.7
16	02.00 AM - 03.00 AM	61.0	62.2	54.6	51.5
17	03.00 AM - 04.00 AM	61.2	70.0	52.9	49.5
18	04.00 AM - 05.00 AM	61.7	63.6	60.8	60.0
19	05.00 AM - 06.00 AM	62.2	61.8	61.1	60.7
20	06.00 AM - 07.00 AM	65.4	65.4	61.0	60.6
21	07.00 AM - 08.00 AM	54.6	60.9	61.2	60.9
22	08.00 AM - 09.00 AM	52.9	61.0	61.7	61.0
23	09.00 AM - 10.00 AM	60.8	61.5	62.2	61.2
24	10.00 AM - 11.00 AM	61.1	63.2	65.4	62.7

End of Report

own

N K.P. Yacob Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis. The test report shall not be reproduced except in full without the written approval of the laboratory.



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

Report No : CTH/LR/16/08/862 C-I Name and Address of customer

Sample Drawn By Sample code Date of Monitoring Monitoring Location Issue Date : August 26, 2016 : M/S.Joy Alukkas, Life Style Developers Pvt. Ltd

Vazhakkala, KOCHI - 682 030

- : Cochin Test House
- 16/NN/862 C
- : 19.08.2016 20.08.2016
- : Gold Tower Site, Kochi

SL.NO	Leq Day Time	Leq Night Time	Leq(DN) Day and Night
1	61.6	59.8	67.6

End of report

Veriti

K. Authorised Signatory COCHIN TEST HOUSE



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

TEST REPORT

.

Report No : CTH/LR/16/09/1020 A Issue Date : September 26, 2016

Name and Address of customer

Sample Drawn By Particulars of the sample Sample code Date of receipt of sample Dates of Analysis Description of the sample by the customer : M/S.Joy Alukkas, Life Style Developers Pvt. Ltd Vazhakkala, KOCHI - 682 030

- **Cochin Test House**
- Water Sample .
- : 16/NN/1020 A
- : 23.09.2016
- : 23.09.2016 26.09.2016
- : Ground water

SI.No.	Parameters	Unit	Method	Result
1	Colour	Colour units	IS :3025 (Pt.4)	2.0
2	Odour	-	IS:3025 (Pt. 5)	Unobjectionable
3	Turbidity	NTU	IS 3025 (Pt.10)	BDL(MDL - 1.0)
4	pH@25°C		IS: 3025 (Pt.11)	6.98
5	Total Hardness asCaCO ₃	mg/l	IS 3025 (Pt. 21)	42
6	Iron as Fe	mg/l	IS :3025 (Pt.53)	0.19
7	Chloride as Cl	mg/l	IS: 3025 (Pt.32)	21.53
8	Total Dissolved Solids	mg/l	IS :3025 (Pt.16)	174
9	Sulphate as SO4	mg/l	APHA:22 nd Ed. 2012 4500 SO4 ² E	18.75
10	Alkalinity as CaCO ₃	mg/l	IS :3025(Pt.23)	58.25
11	Electrical Conductivity @ 25°C	Micromhos/cm	IS :3025(Pt.14)	351
12	Calcium as Ca	mg/l	IS :3025(Pt.40)	13.6
13	Magnesium as Mg	mg/l	IS :3025(Pt.46)	1.95
14	Residual Free Chlorine	mg/l	IS :3025(Pt.26)	BDL(MDL - 1.0)
15	Reactive Silica as SiO ₂	mg/l	IS:3025(Pt.35)	11.18
16	Total Phosphate as P	mg/l	APHA:22 nd Ed. 2012 4500-P(C)	0.65

Verified

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis. The test report shall not be reproduced except in full without the written approval of the laboratory.

48



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

Report No : CTH/LR/16/09/1020 B Name and Address of customer

Sample Drawn By Sample code

Date of Monitoring

Issue Date : September 26, 2016 : M/S.Joy Alukkas,

Life Style Developers Pvt. Ltd

Vazhakkala, KOCHI - 682 030

- : Cochin Test House
- : 16/NN/1020 B
- : 23.09.2016 24.09.2016

Monitoring I	Location	: 0	old Tower Site, K	lochi	
SL.NO	TIME	Leq	L10	L50	L90
1	11.00 AM - 12.00 AM	63.9	61.1	60.0	70.0
2	12.00 AM - 01.00 PM	64.9	61.0	60.7	63.6
3	01.00 PM - 02.00 PM	65.1	61.2	60.6	61.8
4	02.00 PM - 03.00 PM	63.4	61.7	60.9	65.4
5	03.00 PM - 04.00 PM	54.6	62.2	61.0	63.9
6	04.00 PM - 05.00 PM	52.9	65.4	61.2	64.9
7	05.00 PM - 06.00 PM	60.8	54.6	62.7	65.1
8	06.00 PM - 07.00 PM	63.9	52.9	60.0	63.4
9	07.00 PM - 08.00 PM	64.9	60.8	63.6	54.6
10	08.00 PM - 09.00 PM	65.1	61.1	61.8	52.9
11	09.00 PM - 10.00 PM	63.4	61.1	65.4	61.0
12	10.00 PM - 11.00 PM	54.6	61.0	63.9	61.9
13	11.00 PM - 12.00 PM	52.9	61.0	64.9	61.1
14	12.00 PM - 01.00 AM	60.8	61.2	65.1	63.2
15	01.00 AM - 02.00 AM	61.1	61.7	63.4	60.7
16	02.00 AM - 03.00 AM	61.0	62.2	54.6	51.5
17	03.00 AM - 04.00 AM	61.2	70.0	52.9	49.5
18	04.00 AM - 05.00 AM	61.7	63.6	60.8	60.0
19	05.00 AM - 06.00 AM	62.2	61.8	61.1	60.7
20	06.00 AM - 07.00 AM	65.4	65.4	61.0	60.6
21	07.00 AM - 08.00 AM	54.6	60.9	61.2	60.9
22	08.00 AM - 09.00 AM	52.9	61.0	61.7	61.0
23	09.00 AM - 10.00 AM	60.8	61.5	62.2	61.2
24	10.00 AM - 11.00 AM	61.1	63.2	65.4	*62.7

End of Report

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis. The test report shall not be reproduced except in full without the written approval of the laboratory.

49



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

Report No : CTH/LR/16/09/1020 B-I Name and Address of customer Issue Date : August 26, 2016

- : M/S.Joy Alukkas, Life Style Developers Pvt. Ltd Vazhakkala, KOCHI – 682 030
- : Cochin Test House
- : 16/NN/1020 B
- : 23.09.2016 24.09.2016
- : Gold Tower Site, Kochi

SL.NO	Leq Day Time	Leq Night Time	Leq(DN) Day and Night
1	62.1	59.6	67.3

End of report

Sample Drawn By Sample code Date of Monitoring Monitoring Location

ma



K.P Yacob Authorised Signatory COCHIN TEST HOUSE



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

TEST REPORT

Report No : CTH/LR/16/09/1077 A

Issue Date : October 16, 2016

Name and Address of customer

Sample Drawn By : Particulars of the sample : Sample code : Date of receipt of sample : Dates of Analysis : Description of the sample by the customer :

	M/S.Joy Alukkas,
	Life Style Developers Pvt. Ltd
	Vazhakkala, KOCHI – 682 030
•	Cochin Test House
:	Water Sample
1	16/NN/1077 A
:	12.10.2016
:	12.10.2016 - 15.10.2016
	Ground water

SI.No.	Parameters	Unit	Method	Result
1	Colour	Colour units	IS :3025 (Pt.4)	2.0
2	Odour	-	IS:3025 (Pt. 5)	Unobjectionable
3	Turbidity	NTU	IS 3025 (Pt.10)	BDL(MDL - 1.0)
4	pH@25°C	-	IS: 3025 (Pt.11)	7.41
5	Total Hardness asCaCO ₃	mg/l	IS 3025 (Pt. 21)	58
6	Iron as Fe	mg/l	IS :3025 (Pt.53)	0.13
. 7	Chloride as Cl	mg/l	IS: 3025 (Pt.32)	38.29
8	Total Dissolved Solids	mg/l	IS :3025 (Pt.16)	129
9	Sulphate as SO ₄	mg/l	APHA:22 nd Ed. 2012 4500 SO ₄ ² E	19.1
10	Alkalinity as CaCO ₃	mg/l	IS :3025(Pt.23)	75.72
11	Electrical Conductivity @ 25°C	Micromhos/cm	IS :3025(Pt.14)	253
12	Calcium as Ca	mg/l	IS:3025(Pt.40)	17.6
13	Magnesium as Mg	mg/l	IS:3025(Pt.46)	3.45
14	Residual Free Chlorine	mg/l	IS :3025(Pt.26)	BDL(MDL - 1.0)
15	Reactive Silica as SiO ₂	mg/l	IS:3025(Pt.35)	12.09
16	Total Phosphate as P	mg/l	APHA:22 nd Ed. 2012 4500-P(C)	0.45

BDL –Below Detection Limit; MDL – Minimum Detection Limit.

End of report

epified By

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis. The test report shall not be reproduced except in full without the written approval of the laboratory.



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672

E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

	: CTH/LR/16/10/1077 B ddress of customer	Issue Date : October 17, 2016 : M/S.Joy Alukkas, Life Style Developers Pvt. Ltd Vazhakkala, KOCHI – 682 030			
Sample Drav	vn By		Cochin Test House		
Sample code			16/NN/1077 B		
Date of Mon	itoring	: :	12.10.2016 - 13.10	.2016	
Monitoring l	the second se	: (Gold Tower Site, K	lochi	
SL.NO	TIME	Leq	L10	L50	L90
1	09.00 AM - 10.00 AM	60.0	61.1	61.1	62.7
2	10.00 AM - 11.00 AM	63.6	61.0	63.2	. 60.0
3	11.00 AM - 12.00 AM	61.8	61.2	60.7	63.6
4	12.00 AM - 01.00 PM	65.4	61.7	51.5	61.8
5	01.00 PM - 02.00 PM	63.9	62.2	49.5	65.4
6	02.00 PM - 03.00 PM	64.9	65.4	60.0	63.9
7	03.00 PM - 04.00 PM	65.1	54.6	60.7	64.9
8	04.00 PM - 05.00 PM	63.4	52.9	61.1	65.1
9	05.00 PM - 06.00 PM	54.6	60.8	63.2	63.4
10	06.00 PM - 07.00 PM	52.9	61.1	60.7	52.9
11	07.00 PM - 08.00 PM	60.8	61.1	65.4	61.0
12	08.00 PM - 09.00 PM	61.1	61.0	63.9	61.9
13	09.00 PM - 10.00 PM	61.0	61.0	64.9	61.1
14	10.00 PM - 11.00 PM	61.2	61.2	65.1	63.2
15	11.00 PM - 12.00 PM	61.1	61.7	63.4	60.7
16	12.00 PM - 01.00 AM	61.0	62.2	54.6	51.5
17	01.00 AM - 02.00 AM	52.9	70.0	52.9	49.5
18	02.00 AM - 03.00 AM	61.0	63.6	60.8	60.0
19	03.00 AM - 04.00 AM	61.9	61.8	61.1	61.0
20	04.00 AM - 05.00 AM	61.1	65.4	61.0	61.2
21	05.00 AM - 06.00 AM	63.2	60.9	61.2	61.7
22	06.00 AM - 07.00 AM	60.7	61.0	61.7	62.2
23	07.00 AM - 08.00 AM	51.5	61.5	62.2	70.0
24	08.00 AM - 09.00 AM	49.5	63.2	65.4	63.6

End of Report

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis.

The test report shall not be reproduced except in full without the written approval of the laboratory.



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

Report No : CTH/LR/16/09/1077 B-I Name and Address of customer

Sample Drawn By Sample code Date of Monitoring Monitoring Location Issue Date : October 17, 2016 : M/S.Joy Alukkas,

Life Style Developers Pvt. Ltd

- Vazhakkala, KOCHI 682 030 : Cochin Test House
- : 16/NN/1077 B
- : 12.10.2016 13.10.2016
- : Gold Tower Site, Kochi

SL.NO	Leq Day Time	Leq Night Time	Leq(DN) Day and Night
1	63.5	59.9	66.3

End of report

Verified By

K.P. Yacob

Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis. The test report shall not be reproduced except in full without the written approval of the laboratory.



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

AMBIENT AIR QUALITY MONITORING REPORT

Report No : CTH/LR/16/11/1207

Issue Date : November 23, 2016

Issued To:

M/S.Joy Alukkas,

Life Style Developers Pvt. Ltd Vazhakkala, KOCHI - 682 030

Lab Identification No.	16/NN/1207	
Monitoring Station	Gold Tower Site, Kochi	
Monitoring Date	19.11.2016	
Monitored By	Cochin Test House	
Date of Analysis	19.11.2016 - 22.11.2016	

Sl.No Parameters	Unit	Method	Result			
				10AM - 6PM	6PM - 2AM	2AM - 10AM
1	SO ₂	µg/m ³	IS:5182(Pt.2) :2009	12.15	15.23	10.69
2	NOx	µg/m ³	IS:5182(Pt.6):2006	19.07	20.02	17.31
3	СО	mg/m ³	IS:5182(Pt.10):2009	BDL(MD-0.11)	BDL(MD-0.11)	BDL(MD-0.11)
4	PM 10	µg/m ³	IS:5182(Pt.23):2006	50.36 (24 hrs Sampling)		ing)
5	PM _{2.5}	µg/m ³	USEPA	22	.63 (24 hrs Sampl	ing)

BDL- Below Detection Limit; MDL-Minimum Detection Limit.

End of Report

Yacob

K.P. Authorised Signatory COCHIN TEST HOUSE



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

TEST REPORT

Report No : CTH/LR/16/11/1205

Issue Date : November 26, 2016

Name and Address of customer

Sample Drawn By Particulars of the sample Sample code Date of receipt of sample Dates of Analysis Description of the sample by the customer

:	M/S.Joy Alukkas,
	Life Style Developers Pvt. Ltd
	Vazhakkala, KOCHI – 682 030
•	Cochin Test House
:	Water Sample
:	16/NN/1205
:	18.11.2016
:	18.11.2016 - 24.11.2016
:	Ground water

SI.No.	Parameters	Unit	Method	Result
1	Colour	Colour units	IS :3025 (Pt.4)	2.0
2	Odour		IS:3025 (Pt. 5)	Unobjectionable
3	Turbidity	NŢU	IS 3025 (Pt.10)	BDL(MDL - 1.0)
4	pH@25°C	E .	IS: 3025 (Pt.11)	7.18
5	Total Hardness asCaCO ₃	mg/l	IS 3025 (Pt. 21)	68
6	Iron as Fe	mg/l	IS :3025 (Pt.53)	0.29
7	Chloride as Cl	mg/l	IS: 3025 (Pt.32)	31.11
8	Total Dissolved Solids	mg/l	IS :3025 (Pt.16)	158
9	Sulphate as SO4	mg/l	APHA:22 nd Ed. 2012 4500 SO4 ² E	22
10	Alkalinity as CaCO ₃	mg/l	IS :3025(Pt.23)	69.9
11	Electrical Conductivity @ 25°C	Micromhos/cm	IS :3025(Pt.14)	313
12	Calcium as Ca	mg/i	IS:3025(Ft.40)	16
13	Magnesium as Mg	mg/l	IS:3025(Pt.46)	6.82
14	Residual Free Chlorine	mg/l	IS :3025(Pt.26)	BDL(MDL - 1.0)
15	Reactive Silica as SiO ₂	mg/l	IS:3025(Pt.35)	14.45
16	Total Phosphate as P	mg/l	APHA:22 nd Ed. 2012 4500-P(C)	0.45

BDL –Below Detection Limit; MDL – Minimum Detection Limit.

End of report

Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis. The test report shall not be reproduced except in full without the written approval of the laboratory.



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

Report No	: CTH/LR/16/11/1208 ddress of customer		ue Date : Nove 1/S.Joy Alukkas,	ember 21, 2016		
Nume and A			fe Style Develope	rs Pvt. Ltd		
		Vazhakkala, KOCHI – 682 030				
Sample Dray	up Bu	: Cochin Test House				
Sample Drawn By Sample code		: 16/NN/1208				
Date of Mon			18.11.2016 - 19.11	.2016		
Vionitoring I	A BOARD CONTRACT OF A	: (Gold Tower Site, K	ochi		
SL.NO	TIME	Leq L10 L50				
1	10.00 AM - 11.00 AM	60.2	62.2	61.1	61.0	
2	11.00 AM - 12.00 AM	62.6	65.4	63.2*	52.9	
3	12.00 AM - 01.00 PM	61.3	54.6	60.7	61.0	
4	01.00 PM - 02.00 PM	64.8	52.9	51.5	61.9	
5	02.00 PM - 03.00 PM	63.9	60.8	61.1	61.1	
6	03.00 PM - 04.00 PM	64.9	61.1	63.2	63.2	
7	04.00 PM - 05.00 PM	65.1	61.1	60.7	61.0	
8	05.00 PM - 06.00 PM	63.4	61.2	65.4	52.9	
9	06.00 PM - 07.00 PM	54.6	61.7	63.6	61.0	
10	07.00 PM - 08.00 PM	52.9	62.2	54.6	52.9	
11	08.00 PM - 09.00 PM	60.8	61.2	52.9	61.0	
12	09.00 PM - 10.00 PM	61.1	60.8	60.8	61.9	
13	10.00 PM - 11.00 PM	61.0	63.6	63.6	61.1	
14	11.00 PM - 12.00 PM	61.2	63.6	63.6	63.2	
15	12.00 PM - 01.00 AM	61.1	54.6	54.6	60.7	
16	01.00 AM - 02.00 AM	63.2	52.9	52.9	51.5	
17	02.00 AM - 03.00 AM	60.7	60.8	54.6	49.5	
18	03.00 AM - 04.00 AM	65.4	61.7	52.9	60.0	
19	04.00 AM - 05.00 AM	63.9	62.2	61.1	61.0	
20	05.00 AM - 06.00 AM	64.9	70.0	61.0	61.0	
21	06.00 AM - 07.00 AM	65.1	63.6	61.2	61.2	
22	07.00 AM - 08.00 AM	60.7	61.0	61.7	61.1	
23	08.00 AM - 09.00 AM	51.5	61.5	62.2	63.2	
24	09.00 AM - 10.00 AM	49.5	63.2	65.4	61.2	

End of Report

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE



ANALYTICAL SERVICES & TESTING LABORATORY V / 78, Kollanpady, Murungaliparambu Road, Irumpanam P.O., Kochi - 682 309 Mob.: 9446332556, 9387381780, Tel. : 0484 - 2782672 E-mail: cochintesthouse1@gmail.com, Web : ww.cochintesthouse.com

Laboratory Approved by Kerala State Pollution Control Board ('A' Grade)

SOUND LEVEL MONITORING REPORT

Report No : CTH/LR/16/11/1208-I Name and Address of customer

Sample Drawn By Sample code Date of Monitoring Monitoring Location Issue Date : November 21, 2016 : M/S.Joy Alukkas,

Life Style Developers Pvt. Ltd

Vazhakkala, KOCHI – 682 030

- : Cochin Test House
- : 16/NN/1208
- : 18.11.2016 19.11.2016
- : Gold Tower Site, Kochi


SL.NO Leq Day Time		Leq Night Time	Leq(DN) Day and Night	
1	63.8	63.8 58.3		

End of report

K.P. Yacob Authorised Signatory COCHIN TEST HOUSE

NOTE : This test results relate only to the sample submitted for analysis. The test report shall not be reproduced except in full without the written approval of the laboratory.





ANNEXURE XIV

AFFIDAVIT PRODUCED BY THE PROPONENT



കേർളo केरल KERALA

AFFIDAVIT

AN 643199

I, Alekkas Varghese Joy (Joy Alukkas), Director, M/s Joyalukkas Lifestyle Developers Pvt. Ltd., having its registered office at A&B Peevees Triton, Marine Drive, Cochin – 31, in the building project, which is being executed in Re-survey no. 42/1, Block no, 09 of Vazhakkala village, Kanayannur Taluk, Ernakulam District, Kerala, on behalf of the company, do solemnly declared and affirms before the State Environmental Impact Assessment Authority the following:

- 1. Environmental Monitoring Cell for the project referred above is already functional.
- 2. Firefighting system'shall be provided.
- 3. Measures to minimize dust emissions is being provided and will continue do till the end of project.
- Adequate safety measures for the construction workers is being provided and will continue do till the end of project.
- 5. The following shall be uploaded the in the web site.
 - a. EC order
 - b. Status of compliance of stipulated EC conditions.
 - c. Result of monitoring data and update the same periodically.
- 6. Shall send the copy of the EC to the LSG concerned.

